



Assembly Instructions



(W x D x H): 1.00m x 0.655m x 1.11m
Product Name: Bahama Bar

Pressure Treated products should not be treated with any other products for the first month.

PLEASE KEEP THIS INSTRUCTION

Zest4Leisure
01352 752555 option 1 – sales@zest4leisure.co.uk

Bahama Bar Assembly Instructions


Requires 2 person assembly.

Tools required: Corded / Cordless Drill, Pozi-drive Bit / Screwdriver, 3mm Drill Bit required in order for you to drill all screw holes before construction.

The colour version of this document can be downloaded from:
www.zest4leisure.co.uk/downloads/category/C1

Bahama Bar Pack List		
Item	Description	Quantity
A	Side Panel	2
B	Front Panel	1
C	Floor Panel	1
D	Bar Top	1
E	Centre Panel	1
F	Shelf	3
G	Back Fascia	2

Fixings		
	30mm Screws	18
	50mm Screws	8
	70mm Screws	14



Please take a few moments to check all pack contents listed.


Assembly requires 2 persons.

Tools required: Corded/Cordless Drill, Pozi-drive Bit/Screwdriver, 3mm Drill Bit required in order for you to drill all screw holes before construction.


1. Attach Side Panels A to Front Panel B using 6no 70mm Screws – 3no per Side Panel A (Figs.1a & 1b)
2. Locate Floor Panel C Between Side Panels A as shown in Fig.2a and fix in position using 4no 70mm Screws – 2no per Side Panel A.
3. Position Bar Top D onto Side Panels A and Front Panel B as shown in Fig.3a and fix in position using 4no 70mm Screws – 2no per Side Panel A (Fig.3b).
4. Attach Centre Panel E to centre batten of Bar Top D as shown in Fig.4 using 2no 50mm Screws.
5. Attach Shelves F to Centre Panel E and Side Panels A as shown in Fig 5 using 18no 30mm Screws – 6no per Shelf F.
6. Attach Back Fascias G as shown in Figs. 6a & 6b using 6no 50mm Screws (3no per Fascia G).

Bahama Bar is now complete.


1a




1b



2a




2b



3a




3b



4b


4



5



6a



6b

