

Assembly Instructions



(W x D x H) 1.94m x 0.79m x 0.94m
Product Name: Caroline Companion Seat

Pressure Treated products should not be treated with any other products for the first month.

PLEASE KEEP THESE INSTRUCTIONS


Zest4Leisure
01352 752555 option 1 – sales@zest4leisure.co.uk

Caroline Companion Seat Assembly Instructions

Requires 2 person assembly.. Tools required: Hex Key, Corded / Cordless Drill, Pozi-drive Bit / Screwdriver.

| Caroline Companion Seat Pack List | | |
|-----------------------------------|----------------|----------|
| Item | Description | Quantity |
| A | Seat Assembly | 2 |
| B | Side Assembly | 4 |
| C | Back Assembly | 2 |
| D | Shelf Assembly | 2 |

| Fixings | | |
|---------|------------|----|
| | Hex Screws | 16 |
| | Screws | 8 |



Please take a few moments to check all pack contents listed.

Assembly requires 2 persons.

Tools required: Hex Key, Corded / Cordless Drill, Pozi-drive Bit / Screwdriver

1. Position Seat Assembly A between Side Assemblies B (Fig.1a) and attach using 4no Hex Screws – 2no per side (Fig.1b).

Do not fully tighten at this stage.

2. Position the Back Assembly C between Side Assemblies B (Fig. 2a) and attach using 4no Hex Screws – 2no per side (Fig.2b).


Fully tighten all Hex Screws at this stage.

Repeat stages 1-2 for second seat.


3. Locate Upper Shelf Assembly D between seats and attach using 4no Screws - 2 per side (Figs.3a & 3b).
4. Position Lower Shelf Assembly D between seats and attach using 4no Screws - 2 per side (Figs.4a & 4b).

Caroline Companion Seat is now complete.


1a




1b



2a




2b




3a



3b



4a



4b

