V2-10.15



Assembly Instructions



(W x D x H) 0.36m x 0.36m x 1.50m Product Name: Hanging Flower Bell

Pressure Treated products should not be treated with any other products for the first month.

PLEASE KEEP THIS INSTRUCTION


Hanging Flower Bell Assembly Instructions

Please take a few moments to check all pack contents listed.

Assembly requires 2 persons.

Tools required: Corded/Cordless Drill, Pozi-drive Bit/Screwdriver,, Hammer,3mm Drill Bit required in order for you to drill all screw holes before construction.

Hanging Flower Bell Pack List		
ltem	Description	Quantity
A1	Long Lath	4
A2	Short Lath	4
В	Base	1
С	Collar	2
D	Ring Section	8
Е	Finial	1
Fixings		
	Pins	12
	30mm Screws	8
	Nuts & Bolts	8
	Screw Eye	1



www.zest4leisure.co.uk

Hanging Flower Bell Assembly Instructions

Assembly requires 2 persons.

Tools required: Corded/Cordless Drill, Pozi-drive Bit/Screwdriver, Hammer. 3mm Drill Bit required in order for you to drill all screw holes before construction.

N.B. All screw holes **must** be predrilled.

It is recommended that elements A1 & A2 of this product be soaked in water for 2 hours prior to assembly.

1. Position Long and Short Laths A1 & A2 alternately around Base B (Fig.1a), slide on Collar C and fix laths in position using 8no Pins – 1no per lath (Fig.1b).

Fix Collar C in position using 4no 30mm Screws (Fig.1c).


2. Assemble Ring Sections D as shown in Fig.2a to form a ring, ensuring slots are outermost (Fig.2b). Fully tighten nuts at this stage.


3. Position ring assembly as shown in Fig.3.

4. Bring Laths A1 together around Finial E (Fig.4a), secure in position using Collar C and 4no 30mm Screws (Fig.4b). Further fix Laths A1 using 4no Pins (Fig.4c)

5. Insert Screw Eye into top of Finial E (Fig.5)







1c




D








2a



www.zest4leisure.co.uk







4c









www.zest4leisure.co.uk